






# Profiluri Extrudate din Aluminiu / Aluminium Extruded Profile




A (2:1)



B (2:1)






C (2:1)






Lista Profiluri

Art.	Ca nal	Dim.	Cod produs	Tip Bosch	Denumire	Ambalare	Lungime
1	8	30x30	FGB-303000	B-3030	Profil 8 30x30	20 buc	3000 mm
2	10	45x45	FGB-453000	B-4545	Profil 10 45x45	20 buc	3000 mm
3	10	45x90	FGB-903000	B-4590	Profil 10 45x90	20 buc	3000 mm





Articol / Part.No. (FR)	FGI-3030
Denumire / Product Name	Profil 30x30 B (Nut8)
Descriere / Product description	30x30, L=3000, buc.
Ambalare / Delivery unit (buc.)	20
Lungime / Length (mm)	3000
Lungimi speciale	10 mm – 6000 mm
Canal / Groove (mm)	8
Greutate pe ML / Weight (g/m)	824
Sectioni / Cross section (mm <sup>2</sup> )	305,161
Calitate material / Alloy, temper	EN AW-6063 T6
Tratament / Surface treatment	eloxat DIN 17611 E0/E6
Culoare / Colour	C0
Alte culori / Another Colour	Cerinte speciale

**Oferim o gama larga de accesorii si organe de legatura.**



Articol / Part.No. (FR)	FGB-4530
Denumire / Product Name	Profil 45x45 B (Nut10)
Descriere / Product description	45x45, L=3000, 20 buc.
Ambalare / Delivery unit (buc.)	20
Lungime / Length (mm)	3000
Lungimi speciale	10 mm - 6000 mm
Canal / Groove (mm)	10
Greutate pe ML / Weight (g/m)	1569
Sectioni / Cross section (mm <sup>2</sup> )	581,206
Calitate material / Alloy, temper	ENAW-6063 T6
Tratament / Surface treatment	eloxat DIN 17611 E0/E6
Culoare / Colour	C0
Alte culori / Another Colour	Cerinte speciale

**Oferim o gama larga de accesorii si organe de legatura.**



Articol / Part.No. (FR)	FGB-9030
Denumire / Product Name	Profil 90x45 B (Nut10)
Descriere / Product description	90x45, L=3000, 20 buc.
Ambalare / Delivery unit (buc.)	20
Lungime / Length (mm)	3000
Lungimi speciale	10 mm - 6000 mm
Canal / Groove (mm)	10
Greutate pe ML / Weight (g/m)	3383
Sectiune / Cross section (mm <sup>2</sup> )	1252,816
Calitate material / Alloy, temper	ENAW-6063 T6
Tratament / Surface treatment	eloxat DIN 17611 E0/E6
Culoare / Colour	C0
Alte culori / Another Colour	Cerinte speciale

Oferim o gama larga de accesorii si organe de legatura